



Deep Reinforcement Learning

Alexander Amini MIT 6.S191 January 29, 2020





Learning in Dynamic Environments



Reinforcement Learning: Robots, Games, the World

Robotics



Game Play and Strategy





Supervised Learning


Data: (x, y)

 $oldsymbol{x}$ is data, $oldsymbol{y}$ is label

Goal: Learn function to map

$$x \rightarrow y$$

Apple example:



This thing is an apple.

Supervised Learning

Unsupervised Learning

Data: (x, y)

x is data, y is label

Goal: Learn function to map

 $x \rightarrow y$


Data: x

x is data, no labels!

Goal: Learn underlying


structure

Apple example:



This thing is an apple.

Apple example:



Supervised Learning

Unsupervised Learning

Reinforcement Learning

Data: (x, y)

x is data, y is label

Data: x

x is data, no labels!

Data: state-action pairs

Goal: Learn function to map


 $x \rightarrow y$

Goal: Learn underlying

structure


Goal: Maximize future rewards over many time steps

Apple example:




This thing is an apple.

Apple example:



This thing is like the other thing.

Apple example:



Eat this thing because it will keep you alive.

Supervised Learning

Unsupervised Learning

Reinforcement Learning

Data: (x, y)

Data: x

x is data, no labels!

Data: state-action pairs

Goal: Learn RL: our focus today.

 $x \rightarrow y$

Goal: Maximize future rewards over many time steps

Apple example

Apple example


Apple example:



Eat this thing because it will keep you alive.







This thing is like the other thing.




Agent: takes actions.






Environment: the world in which the agent exists and operates.




Action: a move the agent can make in the environment.

Action space A: the set of possible actions an agent can make in the environment




Observations: of the environment after taking actions.





State: a situation which the agent perceives.



Reward: feedback that measures the success or failure of the agent's action.







(Return)



Discounted

Total Reward (Return)
$$R_t = \sum_{i=t}^{\infty} \gamma^i r_i = \gamma^t r_t + \gamma^{t+1} r_{t+1} \dots + \gamma^{t+n} r_{t+n} + \dots$$

$$\gamma: \text{ discount factor; } 0 < \gamma < 1$$



Defining the Q-function

$$R_t = r_t + \gamma r_{t+1} + \gamma^2 r_{t+2} + \cdots$$

Total reward, R_t , is the discounted sum of all rewards obtained from time t

$$Q(s_t, a_t) = \mathbb{E}[R_t | s_t, a_t]$$

The Q-function captures the **expected total future reward** an agent in state, s, can receive by executing a certain action, a

How to take actions given a Q-function?

$$Q(s_t, a_t) = \mathbb{E}[R_t | s_t, a_t]$$

(state, action)

Ultimately, the agent needs a policy $\pi(s)$, to infer the best action to take at its state, s

Strategy: the policy should choose an action that maximizes future reward

$$\pi^*(s) = \underset{a}{\operatorname{argmax}} Q(s, a)$$



Deep Reinforcement Learning Algorithms

Value Learning

Find Q(s, a)

 $a = \underset{a}{\operatorname{argmax}} Q(s, a)$

Policy Learning

Find $\pi(s)$

Sample $a \sim \pi(s)$

Deep Reinforcement Learning Algorithms

Value Learning

Find Q(s, a)

 $a = \underset{a}{\operatorname{argmax}} Q(s, a)$


Policy Learning

Find $\pi(s)$


Sample $a \sim \pi(s)$


Digging deeper into the Q-function

Example: Atari Breakout



It can be very difficult for humans to accurately estimate Q-values







Which (s, a) pair has a higher Q-value?


Digging deeper into the Q-function

Example: Atari Breakout - Middle



It can be very difficult for humans to accurately estimate Q-values






Which (**s**, **a**) pair has a higher Q-value?


Digging deeper into the Q-function

Example: Atari Breakout - Side




It can be very difficult for humans to accurately estimate Q-values







Which (s, a) pair has a higher Q-value?


Deep Q Networks (DQN)





Deep Q Networks (DQN)














































$$\mathcal{L} = \mathbb{E}\left[\left\| \left(r + \gamma \max_{a'} Q(s', a')\right) - Q(s, a) \right\|^2 \right]$$
 Q-Loss




Deep Q Network Summary

Use NN to learn Q-function and then use to infer the optimal policy, $\pi(s)$




Send action back to environment and receive next state

DQN Atari Results



DQN Atari Results



Downsides of Q-learning

Complexity:

- Can model scenarios where the action space is discrete and small
- Cannot handle continuous action spaces

Flexibility:

• Policy is deterministically computed from the Q function by maximizing the reward \rightarrow cannot learn stochastic policies

To address these, consider a new class of RL training algorithms:

Policy gradient methods

Deep Reinforcement Learning Algorithms

Value Learning

Find Q(s, a)

 $a = \operatorname{argmax} Q(s, a)$


Policy Learning

Find $\pi(s)$

Sample $a \sim \pi(s)$

Deep Q Networks (DQN)


DQN: Approximate Q-function and use to infer the optimal policy, $\pi(s)$




Policy Gradient (PG): Key Idea

DQN: Approximate Q-function and use to infer the optimal policy, $\pi(s)$

Policy Gradient: Directly optimize the policy $\pi(s)$






What are some advantages of this formulation?

Discrete vs Continuous Action Spaces

Discrete action space: which direction should I move?









Discrete vs Continuous Action Spaces

Discrete action space: which direction should I move?



Continuous action space: how fast should I move?








Policy Gradient (PG): Key Idea

Policy Gradient: Enables modeling of continuous action space



Training Policy Gradients: Case Study

Reinforcement Learning Loop:

OBSERVATIONS

State changes: S_{t+1} Reward: T_t Action: a_t

Case Study — Self-Driving Cars


Agent: vehicle

State: camera, lidar, etc


Action: steering wheel angle

Reward: distance traveled


- 1. Initialize the agent
- 2. Run a policy until termination
- 3. Record all states, actions, rewards
- 4. Decrease probability of actions that resulted in low reward
- 5. Increase probability of actions that resulted in high reward



- 1. Initialize the agent
- 2. Run a policy until termination
- 3. Record all states, actions, rewards
- 4. Decrease probability of actions that resulted in low reward
- 5. Increase probability of actions that resulted in high reward




- 1. Initialize the agent
- 2. Run a policy until termination
- 3. Record all states, actions, rewards
- 4. Decrease probability of actions that resulted in low reward
- 5. Increase probability of actions that resulted in high reward



- 1. Initialize the agent
- 2. Run a policy until termination
- 3. Record all states, actions, rewards
- 4. Decrease probability of actions that resulted in low reward
- 5. Increase probability of actions that resulted in high reward





Training Algorithm

- 1. Initialize the agent
- 2. Run a policy until termination
- 3. Record all states, actions, rewards
- 4. Decrease probability of actions that resulted in low reward
- 5. Increase probability of actions that resulted in high reward

log-likelihood of action

$$\mathbf{loss} = -\log P(a_t|s_t) R_t$$

reward

Gradient descent update:

$$w' = w - \nabla \mathbf{loss}$$

$$w' = w + \nabla \log P(a_t|s_t) R_t$$
Policy gradient!

Reinforcement Learning in Real Life

- 1. Initialize the agent
- 2. Run a policy until termination
- 3. Record all states, actions, rewards
- 4. Decrease probability of actions that resulted in low reward
- 5. Increase probability of actions that resulted in high reward




Data-driven Simulation for Autonomous Vehicles

VISTA: Photorealistic and high-fidelity simulator for training and testing self-driving cars







Deploying End-to-End RL for Autonomous Vehicles



Policy Gradient RL agent trained entirely within VISTA simulator




End-to-end agent directly deployed into the real-world



First full-scale autonomous vehicle trained using RL entirely in simulation and deployed in real life!


Deep Reinforcement Learning Applications

Reinforcement Learning and the Game of Go



The Game of Go


Aim: Get more board territory than your opponent.



Board Size n x n	Positions 3 ^{n²}	% Legal	Legal Positions
×	3	33.33%	
2×2	81	70.37%	57
3×3	19,683	64.40%	12,675
4×4	43,046,721	56.49%	24,318,165
5×5	847,288,609,443	48.90%	414,295,148,741
9×9	4.434264882×10 ³⁸	23.44%	1.03919148791×10 ³⁸
13×13	4.300233593×10 ⁸⁰	8.66%	3.72497923077×10 ⁷⁹
19×19	1.740896506×10 ¹⁷²	1.20%	2.08168199382×10 ¹⁷⁰

Greater number of legal board positions than atoms in the universe.

Human expert positions



Classification


Supervised Learning policy network

RL policy network







Self-play data




Value network







1) Initial training: human data



- 1) Initial training: human data



AlphaZero: RL from Self-Play (2018)





Deep Reinforcement Learning: Summary


Foundations

- Agents acting in environment
- State-action pairs > maximize future rewards
- Discounting



Q-Learning

- Q function: expected total reward given s, a
- Policy determined by selecting action that maximizes Q function




Policy Gradients

- Learn and optimize the policy directly
- Applicable to continuous action spaces









6.5191:

Introduction to Deep Learning

Lab 3: Reinforcement Learning

Link to download labs: http://introtodeeplearning.com#schedule

- I. Open the lab in Google Colab
- 2. Start executing code blocks and filling in the #TODOs
 - 3. Need help? Find a TA or come to the front!!